



DESCRIPTION – SCOREBOARD BASIC LED-140 – ART.NO. 117230-52

Basic LED-140 is a single sided Scoreboard for indoor sports, for wall mounting.

The delivery includes:

- 1 pc. Multi-purpose scoreboard with built in siren (indoor use)
- 1 pc. Wall mounting kit according to description 2582.
- 1 pc. Instruction 2800.
- 1 pc Hard wired remote

**SPORTS: BASKETBALL – FUTSAL – HANDBALL – VOLLEYBALL – FLOORBALL
INDOOR FOOTBALL – TENNIS – BADMINTON**



Scoreboard with built-in siren. The design makes it suitable for most indoor sports and can be combined with shottimers for basketball (add-on modules).

It is controlled from our self-instructing remote control unit with pre-programmed rules for each sport.

The included remote control unit is hard wired, connection to Scoreboard acc to diagram on page 3.



Match/Game time	Count-up or down is indicated by four digits (minutes and seconds). As an option, regular day time can be indicated when no game is being played.
Score indication	000-999 (three digits per team)
Period	1-9 (1 digit)
Penalty/Serve/Foul	Indicated by dots (3 dots/team).
Time-out	Count-down of time is indicated instead of match/game time.
Siren	Built-in. Sounds automatically at finished game, time-out, break/pause. By manually pressing a key, the siren can also sound at any requested time.
Front cover	Non-reflective polycarbonate (DIN 18032)
Service	From the front side

More detailed description of the function for each individual sports available on separate data sheets.

We reserve the right to make changes at any time.



MOUNTING



Mounting angle

TECHNICAL DATA:

Case:	Aluminium, black
Front cover:	Polycarbonate 3 mm.
Digits:	LED's, SMD
Digit height:	140mm (score and time), 120mm (period)
Colour of digits:	Red
Colour of fixed text:	Yellow
Size of dots:	Ø 25mm
Colour of dots:	Red (3/team)
Exterior dimensions of case:	(WxHxD) 1000 x 700 x 100 mm
Weight:	Approx. 9 kgs
Reading distance:	Approx. 50 metres
Connection voltage:	230V 50-60Hz AC
Power supply and electronics:	Built-in
Power consumption:	Electronics max. 80 VA
Ambient temperature:	± 0°C up to +40°C
Siren:	Built in, 105dB



DESCRIPTION: REMOTE CONTROL UNIT FOR BASIC LED140

Remote control unit with pre programmed rules (international) for respective sport. The alphanumeric LCD shows the same information as the Scoreboard.

Remote control unit, art.No. 117600-25, for hard wired controlled Scoreboards

The delivery includes:

- 1 pc. 22038-10 Remote control unit with pre-programmed sports incl. 3m cable
- 1 pc. 40536-42 Connection box




TECHNICAL DATA


Size	(WxHxD) 154 x 90 x 48 mm
Weight:	800 g.
Ambient temperature:	± 0°C up to +40°C.
Colour:	Black
Housing:	Aluminium
LCD-Display:	16x2 characters
Keypad:	20 buttons (4x5)
Connection to Scoreboard:	See block diagram

OPTIONS

- 43064-00 Start/stop handle for match time



We reserve the right to make changes at any time.



WESTERSTRAND URFABRIK AB Sweden

P.O. Box 133, SE-545 23 TÖREBODA
E-mail: info@westerstrand.se

Tel. +46 506-480 00 Fax +46 506-48051
Internet: www.westerstrand.se